

STC-1000

STC-1000:

STC-1000: -50 ~ + 99°C
STC-1000: 71 * 29mm
STC-1000 STC-1000
STC-1000
STC-1000 STC-1000:

STC-1000:

-STC-1000 STC-1000 STC-1000;
-STC-1000 STC-1000 STC-1000 STC-1000.
-STC-1000 STC-1000; STC-1000 STC-1000 STC-1000;
-STC-1000 STC-1000 STC-1000 STC-1000 STC-1000 STC-1000.

STC-1000:

1. STC-1000 STC-1000: 75 (L) × 34.5 (W) mm
2. STC-1000 STC-1000: 71 (L) × 29 (W) mm
3. STC-1000 STC-1000: 75 (L) × 34.5 (W) × 85 (D) mm
4. STC-1000 STC-1000: 2m (STC-1000 STC-1000)
5. STC-1000 STC-1000: 6mm * 5mm

STC-1000 STC-1000:

1. STC-1000 STC-1000: -50 ~ 99 °C;
2. STC-1000: 0.1 °C;
3. STC-1000: ± 1 °C (-50 ~ 70 °C);
4. STC-1000 STC-1000: 1
5. STC-1000 STC-1000: 220vac ± 10%, 50/60hz;
6. STC-1000 STC-1000: ≤ 3w;
7. STC-1000: NTC STC-1000 (1pc);
8. STC-1000 STC-1000 STC-1000: STC-1000 10a/250vac; STC-1000 10a/250vac;
9. STC-1000 STC-1000: 0 ~ 60°C;
10. STC-1000 STC-1000: -30 ~ 75 °C;
11. STC-1000 STC-1000: 20% ~ 85% (STC-1000 STC-1000).