

RC004T IR talking thermometer,medical infrared thermometer,body infrared thermometer,infrared forehead thermometer,medical thermometer



Key Features:

Pet Thermometer Electronic

Precision:Measuring tolerance is no more than $\pm 0.30\text{C}$.

Swiftness:Measuring time is less than 1 second.

Easy operation:One key measurement, operate conveniently.

Non-contact:Forehead measurement, no skin contact.

Large screen display:Large LCD screen display, white back light, makes clear digital performance in any ray.

High temperature alarm: Free in temperature alarm setting.

Others:High temperature alarm: Free in temperature alarm setting.Voice function,As much as 32 groups of data storage

Specifications:

1. Normal conditions of use

● Operating temperature: $10^{\circ}\text{C} \sim 40^{\circ}\text{C}$ ($50^{\circ}\text{F} \sim 104^{\circ}\text{F}$)

● Humidity rate: $\leq 85\%$

2. Power: DC 3V (2 batteries AAA)

3. Size: $141 \times 44 \times 52 \text{ mm}$ - $5.6 \times 1.4 \times 2.1 \text{ in}$ (L x W x H)

4. Weight: 110g

5. Display Resolution: 0.1°C (0.1°F)

6. Measuring range:

● In body mode: $32^{\circ}\text{C} - 42.9^{\circ}\text{C}$ ($89.6^{\circ}\text{F} - 109.2^{\circ}\text{F}$)

● In Surface Temp mode: $0^{\circ}\text{C} - 60^{\circ}\text{C}$ ($32^{\circ}\text{F} - 140^{\circ}\text{F}$)

7. Precision: From 36°C to 39°C (96.8°F - 102.2°F) = $\pm 0.2^{\circ}\text{C}$ \square 0.4°F \square

8. Consumption: $\leq 300\text{mW}$

9. Accuracy: $\pm 0.3^{\circ}\text{C}$ (0.6°F)

10. Measuring distance: 3-5cm(1.2in-2in)

11. Automatic stop: 5 sec.



Payment Methods:

We accept TT bank wire transfer, Western Union, Paypal and escrow payment offered by Alipay Escrow and Escrow.com.

For latter three payment methods, extra charges shall be applied.

Shipping Methods:

To be shipped by express mail, by air or by sea based on customer's request and weight / volume of goods.

Warranty:

We provide a limited quality warranty of 12 months for the items sold dating from their delivery date.

Rycom™
THERMODOO

NO-CONTAMINATION

Model: RC004T

www.rycom-med.com

DELICHT GmbH
Tel: +49-209-3617552
Ewald Str.118, D-45892
Geisenkirchsen Germany
deychi@gmail.com
Manufactured by
RYCOM ELECTRON
TECHNOLOGY LIMITED
Add: Equity Trust Chambers
P.O. Box 3269, Apia, Samoa
Made in china
www.rycom-med.com

Product accessories
User manual in English - 1 pcs
AA alkaline batteries - 2 pcs



S.N.
RC004T-V-00-English

UN THERMOMETRE POUR TOUTE LE FAMILLE / A THERMOMETER FOR ALL THE FAMILY / UN THERMOMETRO PARA TODA LA FAMILIA

/ QUICK, EFFICIENT AND PRECISE
PRISE DE TEMPERATURE INSTANTANEE ET SANS CONTACT
INSTANT NO CONTACT TEMPERATURE READING
BREVET DE TEMPERATURE INSTANTANEE Y SIN CONTACTO



NO-CONTAMINATION
Model: RC004T

LE THERMOMETRE
SANS CONTACT

Rycom™
THERMODOO

Rycom™



Rycom™
THERMODOO

NO-CONTAMINATION
Model: RC004T

www.rycom-med.com



Rycom™

Features

- | | |
|------------------------|--|
| Accuracy | ± 0.3°C |
| Quick | Testing time < 1 sec |
| Easily used | One button measuring, easy to operate |
| Non-contact | Test the body, not contact skin. |
| Long life | Can use over 100K times with 2pcs AAA battery, product life is more than 3 million times |
| Measuring distance | 5cm |
| Big screen | Big LCD display, white background light, display clearly in any situation. |
| High temperature alarm | Adjustable alarm temperature |
| Data memory | Save 32 testing data, convenient for analysis and comparison. |
| Setting modification | Can change the setting parameter for different color skin race (white, black, yellow and so on). |
| Unit switch | Can display at °C or °F. |

Technology performance

- | | |
|------------------------|--|
| Normal using condition | Circumstance temperature 10°C~40°C; relative humidity ≤85%. |
| Power supply | DC 3V (2pcs AAA) |
| Size | 141X44X52mm (L X W X H) |
| Weight | 110g |
| Measuring range | Body temperature mode: 32°C~42.9°C
Surface mode: 0°C~60°C
32°C~36°C = ±0.3°C
36°C~39°C = ±0.2°C
39°C~42.9°C = ±0.3°C |
| Precision | |
| Power consume | ≤50mW |
| Measuring distance | 5CM-15CM |
| Automatic stop | 5secs |



Rycom™
THERMODOO

NO-CONTAMINATION

Model: RC004T

www.rycom-med.com

RC004T