

RC004T IR talking thermometer, medical infrared thermometer, body infrared thermometer, infrared forehead thermometer, [medical thermometer](#)



Key Features:

Pet Thermometer Electronic

Precision: Measuring tolerance is no more than $\pm 0.30^\circ\text{C}$.

Swiftness: Measuring time is less than 1 second.

Easy operation: One key measurement, operate conveniently.

Non-contact: Forehead measurement, no skin contact.

Large screen display: Large LCD screen display, white back light, makes clear digital performance in any ray.

High temperature alarm: Free in temperature alarm setting.

Others: High temperature alarm: Free in temperature alarm setting. Voice function, As much as 32 groups of data storage

Specifications:

1. Normal conditions of use

● Operating temperature: $10^\circ\text{C} \sim 40^\circ\text{C}$ ($50^\circ\text{F} \sim 104^\circ\text{F}$)

● Humidity rate: $\leq 85\%$

2. Power: DC 3V (2 batteries AAA)

3. Size: $141 \times 44 \times 52 \text{ mm}$ - $5.6 \times 1.4 \times 2.1 \text{ in}$ (L x W x H)

4. Weight: 110g

5. Display Resolution: 0.1°C (0.1°F)

6. Measuring range:

● In body mode: $32^\circ\text{C} - 42.9^\circ\text{C}$ ($89.6^\circ\text{F} - 109.2^\circ\text{F}$)

● In Surface Temp mode: $0^\circ\text{C} - 60^\circ\text{C}$ ($32^\circ\text{F} - 140^\circ\text{F}$)

7. Precision: From 36°C to 39°C (96.8°F - 102.2°F) = $\pm 0.2^\circ\text{C} \square 0.4^\circ\text{F}$

8. Consumption: $\leq 300\text{mW}$

9. Accuracy: $\pm 0.3^\circ\text{C}$ (0.6°F)

10. Measuring distance: 3-5cm (1.2in-2in)

11. Automatic stop: 5 sec.

**Payment Methods:**

We accept TT bank wire transfer, Western Union, Paypal and escrow payment offered by Alipay Escrow and Escrow.com.

For latter three payment methods, extra charges shall be applied.

Shipping Methods:

To be shipped by express mail, by air or by sea based on customer's request and weight / volume of goods.

Warranty:

We provide a limited quality warranty of 12 months for the items sold dating from their delivery date.

Rycom™
THERMODOO

NO-CONTAMINATION

Model : RC004T

www.rycom-med.com



Features

Accuracy
Quick
Easily used
Non-contact
Long life

Measuring distance
Big screen
High temperature alarm
Data memory
Setting modification

Unit switch

Technology performance

Normal using condition
Power supply
Size
Weight
Measuring range

Precision

Power consume
Measuring distance
Automatic stop



± 0.3°C
Testing time < 1 sec
One button measuring, easy to operate
Test the body, not contact skin.
Can use over 100K times with 2pcs AAA battery, product life is more than 3 million times
5cm
Big LCD display, white background light, display clearly in any situation.
Adjustable alarm temperature
Save 32 testing data, convenient for analysis and comparison.
Can change the setting parameter for different color skin race (white, black, yellow and so on).
Can display at °C or °F.

RC004T

Rycom™
THERMODOO

NO-CONTAMINATION
Model : RC004T

www.rycom-med.com




RC004T

LE THERMOMETRE
SANS CONTACT

NO-CONTAMINATION
Model : RC004T



/ QUICK, EFFICIENT AND PRECISE
PRISE DE TEMPERATURE INSTANTANEE ET SANS CONTACT
INSTANT NO CONTACT TEMPERATURE READING
Brio de temperature instantanee y sin contacto



UN THERMOMETRE POUR TOUTE LE FAMILLE / A THERMOMETRE PARA TODA LA FAMILIA

Product accessories
User manual in English 1 pcs
AA alkaline batteries 2 pcs



S.N.
RC004T-V-00-English

DELICHT GmbH
Tel: +49-209-3617552
Ewald St.118, D-45892
Geisenkirchen Germany
delicht@gmail.com

Manufactured by
RYCOM ELECTRON
TECHNOLOGY LIMITED

Add: Equity Trust Chambers
P.O. Box 3269, Apia, Samoa

Made in China
www.rycom-med.com

Rycom™
THERMODOO

NO-CONTAMINATION

Model : RC004T

www.rycom-med.com